



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/900,477	07/06/2001	Jung-Hong Kao	M-12276 US	4181
33031	7590	06/01/2006	EXAMINER	
CAMPBELL STEPHENSON ASCOLESE, LLP			CHO, HONG SOL	
4807 SPICEWOOD SPRINGS RD.			ART UNIT	
BLDG. 4, SUITE 201			PAPER NUMBER	
AUSTIN, TX 78759			2616	

DATE MAILED: 06/01/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/900,477	Applicant(s) KAO ET AL.	
	Examiner Hong Cho	Art Unit 2616	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 November 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 2, 4, 6, 16 and 19-21 is/are rejected.
- 7) ☒ Claim(s) 3, 5, 7-15, 17, 18 and 22 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. This office action is in response to the RCE filed on 11/30/2005. Claims 1-22 are pending in the instant application.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.
3. Claims 1, 2, 4, 6, 16 and 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yim (USPUB 2003/0206527) in view of Hluchyj et al (U.S. 5426640), hereinafter referred to as Hluchyj.

Re claims 1, 20 and 21, Yim discloses a method for transmitting a data message from an originating node to a destination node by utilizing the monitored information on the available ring capacity and the data flow rate or traffic loading on each ring (*a method for servicing transmit traffic in a node of a network, the network including a plurality of nodes connected by first and second rings formed by two or more transmission media,*

Art Unit: 2616

paragraph [0005-0009], figure 3). Yim discloses a look-up table containing information about the number of ring links along which a data message (*receiving a packet for routing to the network*) has to travel along each ring between the nodes to reach its destination so that the shortest route for the data message can be determined (*determining a shortest path to a destination node including identifying one of the first and second rings as being associated with the shortest path*, paragraph [0021]). Yim discloses selecting another ring when one ring contains a lot of traffic and is congested (*determining if the identified one of the first and second rings is more congested than the other of the first and second rings*, paragraph [0021]). Yim does not disclose using the transit delay data in determining if the identified one of the first and second rings is more congested than the other of the first and second rings. Hluchyj discloses providing a source node with a packet containing a congestion level measured by the depth of transit queues (*transit delay data*) in each node along the path (column 4, lines 33-35; 38-42). Since Yim suggests measuring traffic loading based on the number of messages queued at each node for transmission, it would have been obvious to one having ordinary skill in the art at the time the invention was made to implement the teaching of Hluchyj in receiving a packet containing congestion level by measuring the depth of transit queues into Yim so that traffic on the congested ring would be lessened by routing packets to the other ring with less congestion.

Re claims 2 and 4, Yim discloses all of the limitations of the base claim, but fails to disclose determining transit delay data for the node, appending the transit delay data for the node to the received transit delay data and forwarding the transit delay data

including appended transit delay data to an upstream node. However, it is well known in the art that the overall transit delay data for a given time period along a path/route is measured by the summation of a transit delay data in each node. Hluchyj discloses determining transit delay data for the node (column 4, lines 38-42) and forwarding the transit delay data as indicated by a congestion level by summing changes of all the nodes traversed by a path at a given time (*appending the transit delay data for the node to the received transit delay data and forwarding the transit delay data including appended transit delay data to an upstream node in the form of a plurality of vectors*, column 3, lines 53-63). It would have been obvious to one having ordinary skill in the art at the time the invention was made to implement the teaching of Hluchyj in determining congestion level along a path by receiving an accumulated transit delay data from downstream nodes and forward the transit delay data to an upstream node to improve network utilization by implementing dynamic congestion control scheme.

Re claim 6, Yim discloses selecting another ring when one ring contains a lot of traffic and is congested (*determining if the identified one of the first and second rings is more congested than the other of the first and second rings*, paragraph [0021]). Yim does not disclose determining if the identified one of the first and second rings is more congested than the other of the first and second rings by using a latency metric, indicative of a delay between the node and the destination node. Hluchyj discloses providing a source node with a packet containing a congestion level (*latency metric*) measured by the depth of transit queues in each node along the path (*indicative of a delay between the node and the destination node*, column 4, lines 33-35; 38-42). It would have been

obvious to one having ordinary skill in the art at the time the invention was made to implement the teaching of Hluchyj in using a latency metric into Yim so that the latency metric would be used to select the other ring with less congestion for routing a packet. The motivation is to have dynamic congestion control scheme implemented to improve network utilization.

Re claim 16, Yim discloses a look-up table containing information about the number of ring links (*a hop count between the node and the given destination node for each of the first and second rings*, paragraph [0021], lines 3-5), choosing the shortest route (*a static ring selection based on the hop count*, paragraph [0021], lines 3-5), and selecting less congested ring to route a packet (*dynamic ring selection*, paragraph [0021], lines 3-5). Yim discloses selecting another ring when one ring contains a lot of traffic and is congested (*determining if the identified one of the first and second rings is more congested than the other of the first and second rings*, paragraph [0021]). Yim does not disclose using the transit delay data in determining if the identified one of the first and second rings is more congested than the other of the first and second rings. Hluchyj discloses providing a source node with a packet containing a congestion level measured by the depth of transit queues (*transit delay data*) in each node along the path (column 4, lines 33-35; 38-42). Since Yim suggests measuring traffic loading based on the number of messages queued at each node for transmission, it would have been obvious to one having ordinary skill in the art at the time the invention was made to implement the teaching of Hluchyj in receiving a packet containing congestion level by measuring the depth of transit queues into Yim so that congested level information contained in a packet

would be used in selecting the other ring with less congestion for routing a packet and thereby reduce network congestion and improve network utilization.

Re claim 19, Yim discloses the transit delay is measured by the amount of traffic in a transit buffer for a given node.

Allowable Subject Matter

4. Claims 3, 5, 7-15, 17, 18 and 22 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

5. Applicant's arguments filed on 11/30/2005 have been fully considered but they are not persuasive.

On pages 9-11, applicants argue that Yim neither teaches nor suggests two related operations: 1) first identifying a ring based on a shortest path, and then 2) in response to identifying one of the first and second rings as being associated with the shortest path to the destination, determining if the identified ring is more congested than another ring.

In reply, the examiner believes that Yim discloses these two related operations by identifying one ring based on a shortest path by using a look-up table (paragraph [0021], lines 6-7), and then selecting another ring to route a packet, if the one ring that has been

identified as a shortest route is congested, by performing fault detection on a ring (paragraph [0025], lines 5-8).

Applicants further argue on page 12 that examiner failed to establish a prima facie case of obviousness by stating that the examiner has not shown that there is some suggestion or motivation to combine Yim and Hluchyj since Yim alone already teaches using congestion information to select a ring. The examiner sees this argument as misplaced since the examiner provided suggestion or motivation to combine Yim and Hluchyj not in light of congestion but in light of transit delay data of Hluchyj being utilized as a mean of indicating congestion level by measuring the depth of transit queues. In addition, Yim suggests measuring traffic loading based on the number of messages queued at each node for transmission, which is recognized by the examiner as suggestion or motivation to combine Yim and Hluchyj.

Therefore, the Examiner concludes that the rejection of claims is proper.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hong Cho whose telephone number is 571-272-3087. The examiner can normally be reached on Mon-Fri during 7 am to 4 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hassan Kizou can be reached on 571-272-3088. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

hc

Hong Cho
Patent Examiner
5/25/2006



CHAU NGUYEN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600